

**A UNICEF POLICY REVIEW**

**STRATEGY FOR IMPROVED NUTRITION  
OF CHILDREN AND WOMEN IN DEVELOPING COUNTRIES**

UNICEF

UNICEF  
New York, N.Y., USA

Copyright © 1990  
United Nations Children's Fund  
3 UN Plaza  
New York, N.Y. 10017  
USA

ISSN: 1013-3194

First printing June 1990  
Second printing October 1992

The Policy Review (E/ICEF/1990/L.6, 9 March 1990) was originally presented to the UNICEF Executive Board in April 1990. The decision 1990/19 was adopted by the UNICEF Executive Board on the recommendation of its Programme Committee.

<b>CONTENTS</b>	<b>PAGE</b>
<b>SUMMARY</b>	
<b>INTRODUCTION</b>	
<b>I. THE NATURE OF THE NUTRITION PROBLEM</b>	
<b>II. THE DEVELOPMENT OF A NEW NUTRITION STRATEGY</b>	
<b>III. NUTRITION GOALS FOR THE 1990s</b>	
<b>IV. STRATEGY TO ACHIEVE NUTRITION GOALS</b>	
The triple A approach	
The conceptual framework	
<b>V. OPERATIONALIZATION OF THE STRATEGY</b>	
General Principles	
Household and community levels	
District level	
National Level	
<b>VI. IMPORTANT COMPONENTS OF A NUTRITION STRATEGY</b>	
General Principles	
Actions that address the manifestations and immediate causes of malnutrition	
Actions that address the underlying causes of malnutrition	
Actions that address the basic causes of malnutrition	
Collaboration with other agencies	
Global support	
<b>VII. UNICEF EXECUTIVE BOARD DECISION 1990/19</b>	

#### **List of Figures**

- I. The triple A Cycle
- II. Causes of malnutrition and death

## SUMMARY

---

Freedom from hunger is a basic human right. Continued malnutrition is unacceptable. Goals are proposed for the 1990s for the control of protein-energy malnutrition and micronutrient deficiency disorders. This strategy, based on previous nutrition-oriented programmes, proposed to reduce and ultimately eliminate malnutrition in developing countries. It proposes a methodology for the identification of appropriate actions in a given context through situation assessment and analysis, rather than through a predetermined set of technical interventions. Central to the methodology is a conceptual framework reflecting the multisectoral nature of malnutrition, and a community-based monitoring system is key to that assessment. The strategy is applicable at household, community, district and national levels. Important strategy components include the promotion of breast-feeding and attention to outreach and urbanization. Potentially important components, identified through analysis, are discussed in terms of whether they address immediate causes of malnutrition, underlying causes, or basic causes.

## **INTRODUCTION**

---

At its 1989 session, the UNICEF Executive Board requested the Executive Director to submit to its 1990 session a policy strategy for the improved nutrition of mothers and children in the developing world (E/ICEF/1989/12, decision 1989/12). UNICEF had reviewed nutrition strategies at an informal consultation in New York in September 1982, at which time the AGOBI-FF $\equiv$  (growth monitoring, oral rehydration therapy (ORT), breast-feeding, immunization, food supplementation and female education) strategy was identified as a combination of actions that would effectively improved child survival. The consultation recognized the importance of and complementarity between the primary health care (PHC) and poverty reduction approaches, as well as the necessity for community involvement. At a later meeting in Naivasha, Kenya, in March 1987, UNICEF staff concerned with nutrition agreed that reducing the prevalence of malnutrition was an important objective in its own right, as was improving child survival and development (CSD) and the situation of women. It was agreed that improved nutrition should not be seen as a sectoral activity, but as an important objective of all UNICEF-supported activities. The strategy proposed in the present paper has considered the recommendations of two reviews: the UNICEF/World Health Organization (WHO) Joint Nutrition Support Programme (JNSP); and the WHO/UNICEF strategy for improved nutrition of mothers and children in the developing world (JC27/UNICEF-WHO/89.4), which was endorsed by the UNICEF/WHO Joint Committee on Health Policy at its twenty-seventh session in Geneva in January 1989, with the recommendation that it be further elaborated. Recognition was given to women in their own right, not just to their role as mothers, or even as economic producers.

The following is a proposed strategy for developing countries to reduce and ultimately eliminate malnutrition. UNICEF has a responsibility to support countries in this endeavour as it recognizes the global nature of the problem of malnutrition and views good nutrition as a basic human right. Rather than recommending a Astandard package $\equiv$  of technical interventions, the strategy describes an approach that identifies efficient actions in particular contexts.

## **Nutrition as a human right**

Freedom from hunger and malnutrition was declared a basic human right in the 1948 Universal Declaration of Human Rights: "Everyone has the right to a standard of living adequate for the health and well-being of himself and his family, including food ..." (art. 25, para. 1). This human right, which expresses the preferred relationship between the individual and the State, was reiterated in the International Covenant on Economic, Social and Cultural Rights, which entered into force in May 1978 (art. 11). In 1974, all States that participated in the United Nations World Food Conference re-emphasized the right to be free from hunger and malnutrition: "Every man, woman and child has the inalienable right to be free from hunger and malnutrition in order to develop fully and maintain their physical and mental faculties". The elimination of hunger and malnutrition was one of the six goals of the Third United Nations Development Decade, as well as a goal of the WHO Declaration on "Health for All by the Year 2000".

Children are the primary victims of malnutrition. The Convention on the Rights of the Child, adopted by the General Assembly on 20 November 1989, brought together, for the first time, all rights related to the survival, development, protection and participation of children. It states that countries "shall ensure to the maximum extent possible the survival and development of the child" (art. 6); and that "State Parties shall pursue full implementation of this right and, in particular, shall take appropriate measures: (a) to diminish infant and child mortality; ... 8 to combat disease and malnutrition including ... through the provision of adequate nutritious food ..." (art. 24).

Because malnutrition affects young children most seriously, UNICEF has a particular mandate to support its elimination. Malnutrition manifests itself at the individual level, but its causes may be found at many levels - from household and community to national or international. The causes may operate in many different sectors simultaneously. Experience with community mobilization and co-operation with different sectors makes UNICEF especially capable of assisting countries in their efforts to alleviate malnutrition.

## **Malnutrition as a global problem**

During the last 25 years, many experts have tried to assess the magnitude of malnutrition in the world. Protein-energy malnutrition, nutritional anaemia, vitamin A deficiency and iodine deficiency disorders (IDD) are the most serious nutrition problems. About 150 million children under five years old are underweight, and more than 20 million suffer from severe malnutrition. It is estimated that 350 million women have nutritional anaemia. Some 40 million children suffer from vitamin A deficiency, some of whom go blind, and most of those who do, die. Some 250,000 children go blind or partially blind and survive. IDD afflicts 200 million to 300 million people with goitre, and at least 6 million suffer from cretinism.

Recent information suggests that malnutrition is increasing in some parts of the world, particularly in Africa south of the Sahara. It is likely that this deterioration is a result of the present economic crisis and the adjustments being undertaken by many of the countries.

Because of its magnitude, its catastrophic impact on child and maternal survival and development, and the fact that it often results from international political and economic crises, malnutrition is one of the most significant global problems of the day. In order to resolve this problem, human and material resources must be mobilized at all levels.

## 1. THE NATURE OF THE NUTRITION PROBLEM

---

Nutrition encompasses processes leading to and involved with the utilisation of nutrients for growth, development, maintenance and activity. Malnutrition results from the inadequate intake of nutrients, or from disease factors that affect digestion, absorption, transport and the utilization of nutrients. Infectious diseases, in particular, affect both dietary intake and other processes.

A distinction should be made between the physiological concept of nutrition and the broader concept that encompasses the economic, social, political and cultural causes of the Anutrition problem $\equiv$ . The Anutrition problem $\equiv$  may or may not manifest itself as a pathological condition of malnutrition. Adaptation to low energy intake is a case in point. Some people obtain an energy balance by eating as much as they need, while other reduce their activity to the level of intake they can afford. The satisfaction of Aneeds $\equiv$ , i.e., requirements at desired activity levels, is important for early childhood psycho-social development and education. It should also be noted that the average adult height is lower in some countries and communities than in others. The Sub-Committee on Nutrition of the Administrative committee on Co-ordination recently issued a statement on the significance of small body size in populations. Smaller stature indicates that, during infancy or childhood, the individual has been deprived, indicating poor nutrition and ill-health. AIt is the factors associated with the process of becoming small, not the state of being small, that is the real concern ... $\equiv$  It is not harmful to be small, except for the effect that this has on physical working capacity and the link between maternal size and infant birth-weight. Short average stature in a population is, therefore, also an indicator of a Anutrition problem $\equiv$ .

Studies have shown that the growth of privileged groups of children in developing countries does not differ significantly from the United States National Center for Health Services growth reference values, which are used by WHO. They demonstrate that socio-economic factors (particularly the dietary-infection complex) are more significant causes of poor growth in underprivileged communities than ethnic or geographic differences



Priorities in assessing the malnutrition problem have changed over the years. Vitamin deficiencies were the primary concern up to 1950; protein deficiencies from the early 1950s to mid-1970s; and multisectoral nutrition planning to the late 1970s. In 1978, the PHC approach, which shifted the focus back to communities, was adopted at Alma Ata as the strategy to achieve Health for All by the Year 2000. It is within that approach that some of the most successful nutrition-oriented programmes have been implemented. The conceptual framework adopted in the strategy presented in the present paper consists of well established knowledge combined with hypotheses about the probable underlying causes of malnutrition. This framework does not express exact relationships, but offers a guide as to what to look for and helps to identify the causes of the problem in a particular context.

For many years nutrition programmes consisted of single, monofocal technical interventions, sometimes reflecting the disciplinary background and priorities of the interveners more than the real needs of the community. In most cases, interventions were selected without the participation of communities, and there was seldom a clear analysis of the malnutrition problem. Changes in economic policies or other changes over which the implementors had no influence often had a greater impact on nutrition than the programme itself.

Ten years of experience have shown that the most successful nutrition-oriented programmes are planned and implemented within the context of the PHC approach. Evaluation of these programmes has provided valuable knowledge about what works and what does not. The recent evaluation of JNSP, which is implemented in 16 countries and is based firmly on the PHC approach, provided new information and confirmed many conclusions obtained from other successful community nutrition programmes.

## **II. THE DEVELOPMENT OF A NEW NUTRITION STRATEGY**

Consideration of past experience suggests that a strategy to resolve the nutrition problem should be based on the following:

- a) The use of an explicitly formulated conceptual framework that reflects the biological and social causes of the nutrition problem, as well as the importance of causes at both macro- and micro-levels. Such a framework should reflect the multisectoral nature of the problem, accommodating a number of potential causes, but also allowing for a reduction in the most important causes in a particular context;
- b) The early establishment of a community-based monitoring system. The generation and analysis of data are of great importance for programme modifications and mobilization. Data that are useful to resource management (from the household to the national level) should have priority. The analysis of information on the nutrition problem will act as a stimulus and a mobilizing force. It will also ensure that interventions are more relevant because they consider local conditions and are understood by people concerned;
- c) The involvement of communities, particularly women, in planning, implementation and monitoring. The people concerned are most capable of understanding the context.;
- d) The strengthening of formal and non-formal institutions. This also requires local knowledge and often involves leadership training;
- e) The mobilization of resources at all levels. This involves both the creation and reallocation of resources and planning for their use;
- f) The early provision of essential services such as immunization and the control of diarrhoeal diseases (CDD) contributes to

visibility and enthusiasm, both of which are important for social mobilization;

- g) The crucial role of training at all levels to increase the capability to assess and analyse the problem of malnutrition and to design appropriate action;
- h) The recognition that, although the nutrition problem is most often multisectoral and multilevel, which should be reflected in any assessment and analysis, intervention need not always be multisectoral. On the other hand, a sequencing of actions, based on the identification of priority actions and their feasibility, is often more efficient than multisectoral interventions;
- I) The recognition that the context in which a nutrition-oriented programme is planned and implemented usually changes during the course of the programme, thus making it difficult to plan many years in advance. Instead, planning, implementation and monitoring should be processes with the built-in flexibility to accommodate and facilitate modifications. Government commitment regarding personnel, resources and advocacy should be long-term;
- j) Improved management at all levels, particularly at the district level. Flexibility means continuous replanning, which requires the efficient use of information. This does not necessarily mean more information, but rather more appropriate and timely information.

Thus, consideration of past successes and failures has led to the following important conclusion: instead of adopting and trying to implement pre-packaged technical interventions, the most appropriate actions should emerge from the assessment and analysis of the particular context. Regular monitoring at all levels makes the nutrition problem more visible and serves as a mechanism to assess the impact of actions taken. The shortcoming of most nutrition-oriented programmes today is not the lack of well-documented, scientifically proven technical interventions, but rather the failure of most programmes to explore fully how existing local skills and resources should be

mobilized and supported in concert with technical interventions in order to create an environment and a support structure that is more conducive to improved nutrition.

### **III. NUTRITION GOALS FOR THE 1990s**

---

UNICEF has adopted a number of goals for children and development in the 1990s that will need to be debated at regional and national levels, and perhaps revised, before being adopted by a given country. The goals include reducing infant, child and maternal mortality rates; improving nutrition; ensuring access to safe drinking water and sanitary means of excreta disposal; and promoting basic education and literacy. A number of supporting/sectoral goals have also been identified, the achievement of which are necessary for the achievement of major goals. The nutrition goals for the 1990s can be divided into the following two categories:

- a) The control of protein-energy malnutrition, including:
  - I) The reduction of both moderate and severe protein-energy malnutrition in children under five years of age by one half of the 1990 levels;
  - ii) The reduction of the rate of low birth-weight (less than 2.5 kilograms) to less than 10 per cent (an indicator of the status of maternal nutrition);
- b) The control of micronutrient deficiency disorders, including:
  - I) The reduction of iron deficiency anaemia (haemoglobin level in the blood, or serum ferritin) among women of child-bearing age by one third of the 1990 levels;
  - ii) The virtual elimination of IDD (urinary iodine, or serum thyroid hormone);
  - iii) The virtual elimination of vitamin A deficiency and its consequences, including blindness (serum retinol, or some other measure of vitamin A status).

The indicators to be used in monitoring the achievement of the micronutrient goals are given in paragraph b) above; those for protein-energy malnutrition in children are as follows: underweight (low weight-for-age); wasting

(low weight-for-height); and stunting (low height-for-age). In accordance with WHO terminology, readings that are three or more standard deviations from the reference median are referred to as Asevere $\equiv$ , while those between two and three standard deviations are called Amoderate $\equiv$ . Although countries may adopt their own definitions and references, international references recommended by WHO should suffice. The goals refer to the reduction of moderate and severe malnutrition. Some countries may prefer to adopt as a further target the virtual elimination (less than 1 per cent) of severe protein-energy malnutrition.

#### **IV. STRATEGY TO ACHIEVE NUTRITION GOALS**

---

The overall objective of the strategy is to empower families, communities and Governments to improved the nutrition of women and children on the basis of adequate information and sound analysis. Implicit in this formulation are the concepts of self-reliance, sustainability and scale. In order to achieve the objective, the strategy will initiate new processes and accelerate existing ones at all levels of society in order to mobilize people and resources for improved nutrition. The two most important elements of the strategy are a method of assessment, analysis and action (the Atriple A $\cong$  approach) and a conceptual framework for the analysis of the causes of malnutrition in a specific context. The first element describes how information should be used, while the second provides a guide for discerning what information should be collected.

##### **The triple A approach**

Every day, decisions are taken that affect nutrition positively or negatively. Most decisions are consecutive steps in a process of assessing the problem, analysing its causes and taking action based on this analysis. Normally the results of those actions are observed and analysed, and then new actions are taken. Therefore, in any programme development effort to improve nutrition, it is important to acknowledge the processes, identify them and learn how they function to be able to design actions to support and accelerate the most promising. The triple A approach is illustrated in figure 1 below.

Figure1: The Triple A Cycle

The cycle may start with assessment, whether it is the mother who assesses the growth of her child, the community that assesses the nutrition situation or the Ministry of Health that assesses trends in the prevalence of goitre. The decision to make an assessment is dependent upon awareness and commitment, while the quality of the assessment is dependent upon perceptions of the nature of the problem. Awareness, commitment and perceptions are all dependent upon the information available and the ability to understand it.

After an initial assessment of the situation, the analysis of the causative processes follows. The determinants of malnutrition are very complex, as some are general while others are more context-specific. If the analysis is performed by a combination of people who live with or very close to the situation under review, it is more likely that the whole exercise will be more successful. The presence of individuals who are trained and experienced in such analysis will also improve the outcome. Based on the analysis of causative processes and an assessment of available or potential resources, actions are designed and implemented. Most situations do not necessarily improve with the first set of actions. The actions may, however, contribute to the creation of a new situation that is more conducive to actions that were not feasible before.

After the situation has been assessed and analysed and actions have been implemented, it is necessary to reassess the impact of the actions, and then to re-analyse it again. For this purpose, nutrition information systems must be in place. Such systems should not only provide information on nutritional status, but should also provide information about the causes of the nutrition problem. This process will lead to further actions that are likely to be more effective and better focused. It will also lead to the renewed design and implementation of actions based on a better understanding of the problems and practical experiences. This process of assessment, analysis and action can focus more precisely on target actions each time it is recycled, which permits new factors to be included as they become relevant.

Assessment, analysis and action depend on views of the problem. There may be agreement over the existence of a problem based on visible manifestations such as severe malnutrition, but there may be disagreement about causes of the problem. If there is disagreement about the causes, there is probably also disagreement over which actions should be taken to alleviate it. There is,



therefore, a need to use an explicitly formulated conceptual framework that will help to identify and clarify the causes of malnutrition.

## **The conceptual framework**

Malnutrition and death in children and women are the results of a long sequence of interlinked events. It is difficult to base any action on the assessment of those manifestations of malnutrition, but they indicate that the situation is serious and requires investigation.

Inadequate dietary intake and disease are the most significant immediate causes of malnutrition. Disease, in particular infectious disease, affects dietary intake and nutrient utilization. In most cases, malnutrition is the combined result of inadequate dietary intake and disease.

In a given context it is possible to identify the immediate causes that have led to malnutrition in an individual case or to a high prevalence of malnutrition in a community. One example of this is diarrhoeal disease in combination with low energy intake. Based on this information, actions could be taken to reduce malnutrition by promoting ORT and food supplementation. However, actions at this level must often be repeated in order to have a sustained effect. If long-term improvements are to be secured, it will be necessary to extend the analysis to the next level and inquire as to the causes of diarrhoea and inadequate food intake.

Dietary inadequacies might be caused by an inadequate supply of food or by mothers having too little time to prepare food or to feed their children. Similarly, death from disease may result from any one or a combination of causes, such as the lack of or low utilization of health services, inadequate water supplies and sanitary facilities, poor food hygiene or inadequate child care. It is only in a particular context that the exact causes can be identified. These underlying causes can be numerous and are usually interrelated. Most of them can be considered as the insufficient fulfilment of specific basic needs of children and women. In order to simplify analysis at this level, the underlying causes may be grouped into three main clusters: basic health services and a healthy environment; household food security; and maternal and child care.

Of the three clusters, the first two are prerequisites for adequate dietary intake and the control of common diseases among children. However, plentiful food of good quality, the availability of health services and a healthy environment

are not enough in themselves to ensure adequate nutrition or proper health care in children and women. There also has to be a system to ensure that the foods and health services are properly used for the benefit of children and women. Defined in broad terms, the maternal and child care sector encompasses some of the services necessary in this system. Education, water and environmental sanitation and housing may all affect the outcome of any of these sectors.

Protein-energy malnutrition in children appears most frequently during the weaning period between about 4 and 18 months of age. It is useful to interpret the dietary intake as the result of four factors: meal frequency; amount of food per meal; energy and nutrient density of the food; and biological utilization. Compared with traditional nutrition surveys, these factors are relatively easy to measure and discuss with communities. Breast-milk has a high-energy/nutrient density, and when given on demand, provides a frequent meal for the child. Inadequate breast-feeding is a common underlying cause of child malnutrition. It is also important to recognize that weaning foods are the major vehicle for the transmission of faecal pathogens. Therefore, food hygiene is of great importance.

Household food security requires special attention. For a long time nutrition has almost been equated with food supply, primarily because for a large number of people, food accessibility is not assured. Access to food is necessary for adequate nutrition, but it does not guarantee it. This difference is underlined in the distinction between national and household food security. National food security means adequate food supplies through local production and food imports. National food policies often neglect to take into account the common maldistribution of food among households or even communities and regions. Household food security, on the other hand, focuses on the family's capacity to produce and acquire food. In addition, explicit attention is paid to how food is produced, in particular the effect on women's work-load and how that food is distributed within the household. All of those factors have a direct effect on nutrition at the household level.

The lack of ready access to water and poor environmental sanitation are important underlying causes of malnutrition. These conditions directly affect health, food production and preparation and general hygiene. Inadequate access to water also affects nutrition indirectly by increasing the work-load of women, thus reducing the time available for the child care.

Inadequate or improper education, particularly of women, is often an underlying cause of malnutrition. It exacerbates their inability to generate resources for improved nutrition for their families.

The multisectoral nature of the malnutrition problem becomes obvious when looking at the underlying causes. In a particular context, the analysis should identify which among many potential causes are leading to the particular type of inadequate dietary intake and disease previously identified as the most important immediate causes of malnutrition.

Most underlying causes are themselves the result of the unequal distribution of resources in society. This disparity should be analysed and acted upon. Causes at this level are called basic or structural causes.

Every community or society has a certain potential for production. What is actually produced and how it is distributed or consumed is determined by technical/ecological, economic, social, political and ideological factors and conditions. Technical/ecological conditions include ecological constraints, existing tools, available natural resources and technology, as well as knowledge, skills and practices. Together they form a system that defines what can be produced.

Social conditions include aspects such as existing property relations, the division of labour and power structures. Together they determine what is produced.


Political factors primarily reflect the structure and function of the State, and include income/tax policies, price and subsidization policies, the legal system and the role and power of national institutions. Ideological factors cover even broader aspects of society such as religion, culture, tradition and beliefs. In most developing countries, the Aideology of the State≡ coexists with several traditional ideologies. This is particularly true with regard to the rights of women.

The basic causes of malnutrition in society relate to both the historical background of the society and factors external to the society. The inefficient use of technology, combined with harsh ecological conditions, are common basic causes. External economic dependency and economic restructuring programmes,

together with maldistribution of productive assets, particularly land, are common basic economic causes. Consumer and producer pricing structures, subsidies and income policies are important basic national-level political causes, while the subordination of women in many societies is a very important community-level political and basic economic cause. The power structure both within and among households is often legitimized by traditional ideologies, which are often imbedded in the accepted local culture. Figure II summarizes the conceptual framework.

Formal and informal institutions play an important role as the interface between underlying and basic causes as they provide basic services or promote improved practices regarding food production and child care. The tasks are performed both by Government and by informal institutions, e.g., households, extended families, organized religious groups and knowledgeable persons. With respect to many services, informal institutions play a very important role. Primary schools and the adult education classes are two of the most important formal institutions.

Figure II: Causes of Malnutrition and Death



It is important not to interpret this framework as a predictive model. Its deliberate lack of rigid limits or boundaries leaves room for different models to be developed in different contexts. The framework primarily helps in asking relevant questions in the development of such models. The framework emphasized the potential multisectoral nature of the problem, i.e., it accommodates possible determinants, but also facilitates the reduction to the most important determinants in a given context. It further facilitates dialogue and co-operation among people of different professions. It has proven easy to communicate, which is important in training and social mobilization. The framework helps to identify what should be assessed and how causative relationships should be identified and analysed. It also helps to clarify the objectives of actions selected for implementation. In a given context, the initially formulated conceptual framework will change and become more focused as reassessment and further analysis take place. Gradually, a more concise Alocal model $\cong$  may emerge.

## **V. OPERATIONALIZATION OF THE STRATEGY**

### **General principles**

Each society has different levels of resource management, from household to national levels. Three types of analysis should be made in relation to these different levels. First, the causes identified in the situation analysis may operate at different levels of society. Each main cause should be addressed at the level at which it operates. For example, inappropriate price policies must be addressed at the national level, while low feeding frequency is primarily a cause at the household level. Secondly, a resource analysis should be made. Existing and potential resources at each level should be identified and assessed from the point of view of how they can be mobilized and used. Thirdly, a power analysis should be made. This will show where decisions for resource allocation are made. These three aspects provide the space for nutrition-oriented triple A processes.

Existing nutrition-focused triple A processes at regional, district and community/household levels should be identified, strengthened and accelerated and new ones should be initiated. This requires the early development and establishment of nutrition information systems at all levels. Information from these systems will make the nutrition problems visible, make assessment of the impact of actions possible and bring to light the causes of the problem - all important requirements for successful advocacy and social mobilization.

Most forms of child malnutrition result in growth faltering. Therefore, growth monitoring provides the most important tool for parents, communities and officials at district and local levels to obtain information about child nutrition. The use of growth monitoring in the context of understanding the processes that influence growth and of promoting appropriate action is an important general principle of the strategy.

Awareness of the nutrition situation and commitment to improve it vary greatly. It is, therefore, of great importance to identify committed participants at the beginning of a programme, especially those who command potential resources. They will be the most important strategic allies in any effort to improve the condition of children and women. These allies should be supported to improve



their ability to assess, analyse and design feasible and appropriate actions. They can then take key roles in social mobilization and, in turn, stimulate real participation. New community resources will be created. Thus the Aprogramme gradually becomes a Amovement.

Training at all levels is necessary to improve the capacity to use information for assessing, analysing and designing actions. Many developing countries will need assistance in establishing such management information systems and in training people on how to use the triple A approach more effectively.

Of necessity, operationalization at each level must be described separately. In reality, however, processes are interlinked and supported at all levels, all depending on existing needs and opportunities.

### **Household and community levels**

For virtually all children, their parents and households provide the resources needed to promote and sustain their survival and development. Thus, it is essential that parents be able to assess and monitor the development of their children, to analyse problems and to take immediate actions. Since the lack of growth is the best indicator of protein-energy malnutrition, the most common form of malnutrition, growth monitoring is the best system for assessment at the household level. The development and use of Amilestone indicators for psychosocial development should also be encouraged.

If the full potential of growth monitoring for growth promotion is to be realized, weighing should take place monthly from birth to at least 18 months of age, and sessions should be limited in size so that counseling can be conducted properly. Home visits should be included if necessary. Some countries are advancing beyond the growth chart, introducing a more comprehensive child health record that includes an immunization record and information about the health of the pregnant mother and the child up to school entry.

At the community level, a monitoring system should be established to identify households with problems of malnutrition and disease that may need additional support. It should be possible to use the data provided by the

household growth monitoring system combined with a disease-symptom monitoring by community health workers (CHWs).

Community-level organizations and committees should be encouraged to improve the analysis of the nutrition problem based on this information. Training to improve analysis at the community level is almost always required and should be provided by the district level. Analyses will result in a set of a first-round priority actions that will be required at the household level, addressing household-level causes and primarily using household resources; and at community level, addressing community-level causes and primarily using community resources. Support from higher levels, in particular the district level to the community level and from the community level to the household level, should be based on careful analysis. The leaders of a community may, for example, decide between support to specific families or actions that support large groups of households.

In many poor communities, there are households with no resources. Special attention must be given to these poorest of the poor. Community solidarity and action should be mobilized first and the monitoring system should not only identify those households, but also provide required information about how they develop as a result of actions taken.

### **District level**

At the district level, the monitoring system should help to identify communities that are unable to control their nutritional problems. The system should also guide authorities in their understanding of positive and negative processes and in establishing priorities for resource allocation. The monitoring system should not only identify problem areas, but should also provide a means for reassessment to measure the effect of various actions implemented.

District-level analysis should concentrate on identifying the causes of malnutrition in particular districts. Those causes that can be addressed at the district level, using district resources, should be dealt with first. At the same time, districts would provide training and technical support to communities in their efforts to reduce the most important causes of malnutrition.

The district is often involved in the implementation of national

programmes that have an impact on nutrition, such as immunization, CDD, training and food security. Therefore, it constitutes the key institution at the district level, i.e., between national and community levels. The district also has a key role in expanding and replicating successful community-level programmes (going to scale) and in establishing nutrition surveillance programmes. In order to fulfil those functions, districts require technical and material support.

In some countries, the district level is non-existent or too weak to play a constructive role. In such cases, links with the national level must be strengthened or established.

### **National level**

In too many cases there is inadequate co-ordination of national-level policy design and community-based nutrition-oriented programmes. It is, however, important to recognize that both are necessary and, if correctly developed, will reinforce each other. The need to reconcile these two priorities has become increasingly urgent because of the need to assess and understand the nutritional impact of economic adjustment policies.

Within the framework of nutrition surveillance, assessment at the national level should provide the necessary information for analysing the nutrition problem from the national perspective. In most cases, such information is best obtained by sample surveys and through sentinel systems. Often an unwillingness or inability to analyse data is the primary reason for limited attention being paid to nutrition in national policy-making and planning. Support is, therefore, required to improve the capability to analyse nutritional data. Advocacy is necessary at the national level to create the political will to promote the survival, development and protection of children and women.

All countries are implementing national PHC, agriculture, education and other programmes. It is often more important to reorient and focus already existing national programmes towards nutritional goals than to establish new nutrition programmes. Such a nutritional focus also provides an excellent opportunity to monitor the progress of sectoral programmes. This will contribute to the achievement of sectoral goals, as well as increased programme sustainability.

This nutrition strategy aims at empowerment through improved planning and management of social development, with an emphasis on community and district levels. This effort will require substantial training, as well as technical and material support to planning and management functions at these levels.

## **VI. IMPORTANT COMPONENTS OF A NUTRITION STRATEGY**

### **General principles**

Breast-feeding is such a key strategy for the attainment of many CSD goals, including child nutrition, CDD, birth spacing and mothers' health and well-being, that it would be expedient to regard it as a legitimate goal in itself. The aim should be to empower mothers to breast-feed their infants exclusively from birth through four to six months of age, and to continue breast-feeding, with the addition of complementary foods, for up to two years or longer. The strategy to achieve that aim is to create an environment of awareness and support such that those women who choose to exercise their right to breast-feed are able to do so.

In the assessment and analysis of a particular situation, existing and potential outreach systems should be identified. The challenge is to identify a viable system capable of reaching those not normally reached. Such systems may combine conventional components of service delivery with new or traditional components of grassroots organization. Some common principles may be identified that will vary according to country-specific situations. They include the following: a) the outreach system should be self-contained within each district, i.e., each district should contain a full complement of back-up support and the authority to make decisions regarding resource allocation; b) this decentralization should be extended further to subdistrict levels, wherever appropriate, for the allocation of locally generated resources; and c) existing structures and local groups - political organizations, co-operatives, women's organizations, religious structures, mothers' support groups or community development networks - should be used as much as possible.

The phenomenon of urbanization is a crucial factor that demands a shift of emphasis in approaches to fighting malnutrition. Urbanization is not only the growth of urban population by natural increase and immigration, but also the spread of values and ideas to rural areas. The latter is particularly relevant with the advent of electronic media. Even poor villages in some countries now have a local video recorder/player. Two of the programmatically important consequences of urbanization are the greatly increased material deprivation (geographically

concentrated) and emotional alienation. Also crucial are the breakdown of support networks and the increased mobility and change of priorities among recent migrants. In the context of the cultural invasions that distort traditional values, such factors require more fundamental development approaches for significant nutrition improvement.

This strategy does not promote any particular pre-packaged set of technical interventions. Instead it describes and promotes an approach or a method by which households, communities and officials at the district and national levels can improve their capacity to assess and analyse the problem of malnutrition and thereby identify the most appropriate and feasible sets of interventions and their sequencing. Interventions that should be considered in this process are listed on the following pages. The methodology to implement them is well-known.

### **Actions that address the manifestations and immediate causes of malnutrition**

At this level, actions should be taken to assist children and women who are already affected by malnutrition and disease, or have inadequate dietary intake.

#### **Nutrition rehabilitation**

Severely malnourished children most often require institutional care in order to survive and recover. When such children are identified by a community-based monitoring system, there must be a rehabilitation facility. The rehabilitation of moderately malnourished children is best accomplished in the home or in the community. In either case, direct feeding is often necessary.

#### **Provision of some essential drugs**

Although prevention is always the preferred strategy, there is a need for life-saving drugs, such as anti-malarials and antibiotics. Sometimes deworm drugs are also required.

#### **Oral rehydration therapy**

A particularly important intervention is saving the lives of children who are dehydrated by diarrhoeal disease. The relationship between dehydration and dietary intake, often leading to malnutrition and death, is well documented.

### **Direct feeding programmes**

Classic feeding programmes, including school lunch programmes, may be appropriate responses in some situations. Food may be provided from local resources, from the Government, or sometimes from international food aid agencies.

### **Distribution of micronutrients**

Provided that efficient delivery systems are in place, the fortification and supplementation of food are effective interventions, e.g., for salt iodization. Iron/folate, vitamin A and iodine supplements can be distributed on a large scale. In many countries, the delivery system established for universal child immunization (UCI) may be employed for this. Beneficial changes in dietary habits should be promoted as a long-term measure.

### **Actions that address the underlying causes of malnutrition**

Actions at this level should address those underlying causes that have been identified as primarily responsible for the particular type of inadequate dietary intake and disease leading to malnutrition or the death of young children and mothers.

### **Immunization**

Nutrition programmes often fail because the high incidence of infectious disease impedes dietary intake and utilization, resulting in malnutrition. Unless the most common childhood infectious diseases are controlled, it will be very difficult to reduce the prevalence of malnutrition. The achievement and sustainability of UCI is, therefore, one of the most important premises for improved nutrition.

### **Expansion and improvement of the primary health care delivery system**

All actions mentioned thus far, and most actions that follow, are part of the PHC approach. In many countries, there is a need to expand the coverage and improve the quality of PHC services. Improved management at all levels, but primarily at district levels, training and the deployment of locally recruited CHWs, and the improvement of referral services, including hospitals and improved transportation, are all potentially important interventions in a nutrition strategy.

### **Health and nutrition education and communication**

Health and nutrition education are usually required at all levels, especially for families, health and other extension workers and teachers. *Facts for Life* should be used extensively.

### **Family planning**

Too many children, too closely spaced and born to mothers who are too young or too old are detrimental to the health of both mothers and children and contribute to the enormous work-load of women. High population growth rates also demand rapid technological changes in order to increase production, which in turn requires investment of a size that most countries cannot afford. Therefore, family planning activities should be integrated in all health, education and child-care activities.

### **Household food security**

All steps in the food chain should be considered: production; harvesting; storage; distribution; marketing; and preparation. Depending upon the priority of problems identified, emphasis may be placed on staple foods, vegetables or fruits. Food is obtained through production, purchase or barter. For many households, particularly in urban areas, the relationship between income and the price of food determines the level of household food security. Therefore, interventions should focus on employment creation and on income and price policies, including targeted consumer subsidies. In countries undergoing economic adjustment, these aspects are of particular importance. In many countries, food production is primarily the responsibility of women. It is,



therefore, important to minimize the work-load of women in their efforts to ensure household food security. Food production should be environmentally sustainable.

### **Improved feeding practices**

Breast-feeding provides the necessary energy and nutrients for growth during the first four to six months of life. After that time, breast milk must be supplemented. Because it is both rich in nutrients and has a high-energy density, among other benefits, it is important to promote breast-feeding for up to two years of age or longer. The increased frequency of feeding, the use of high-energy density food, improved hygiene and nutrition education regarding the use of foods rich in vitamin A are important to improving child feeding and nutrition.

### **Maternal and child care**

The care of the child is inextricably linked with the situation of the household and the situation of women. A mother's knowledge about child care and her access to and control of resources determine, to a large extent, the care she can provide for her child. The lack of resources, in the form of time, knowledge and income, together with the subordination of women in many societies, constitute the underlying and basic causes of malnutrition. Many of the above-mentioned actions address those causes. The establishment of community-based child-care arrangements, income-generating activities for women and the training and education of families should all aim to give women the skills and knowledge required to create better opportunities for improved care for themselves and their children.

### **Environmental sanitation and water supply**

Universal access to safe drinking water and sanitary means of excreta disposal are major goals for children and development in the 1990s. Improved water supply is often the priority concern selected by communities because it improves the quality of life in so many ways. More emphasis should be given to the maintenance of water supply systems, the use of local technologies and the hygienic use of water.

## **Literacy and education**

Education for life<sup>2</sup> should be promoted and supported. Emphasis should be placed on reducing the disparity between boys and girls and on providing adolescent girls with useful knowledge about maternal and child care.

## **Actions that address the basic causes of malnutrition**

In order to achieve a self-sustained improvement in nutrition, the basic causes of the problem need to be addressed. The increasing awareness of the negative impact of present economic adjustment policies has demonstrated the need to analyse these basic (or structural) causes. Such work would include improved situation analysis (including relevant research), policy dialogue, technology development and advocacy. A special effort should be made to analyse the situation and role of women in society.

### **Improved situation analysis**

The goal of the nutrition strategy is normative, but the analysis of the nutrition problem should be scientific. As part of the triple A cycle, the situation analysis should be more or less a continuous exercise. The first effort can be modest and should not take too much time. Gradually, as more is known, the analysis can focus on the most important causes in the country-specific situation. As a part of the situation analysis, studies may be supported to address particular problems that must be solved in order to obtain the necessary knowledge for continued analysis and to design priority actions.

### **Policy dialogue**

To the extent the country situation allows, UNICEF should encourage and provide opportunities to discuss the results of the situation analysis and information from surveillance systems with policy makers at different levels. The form in which such information is presented is of great importance. A special effort should be made to become a trusted and active partner in the ongoing discussion on economic adjustment policies. An appropriate method should be

found to create a national capacity to monitor and analyse the nutritional impact of these policies. The development and establishment of a national nutrition surveillance capacity, in close co-operation with health and agricultural information systems, should be supported. Information international development is at present dominated by economic statistics. There is an urgent need to complement this economic information with information about human development. Nutritional status, measured by anthropometry, is a valid indicator of this. National nutrition surveillance systems could provide this information and so contribute to a more valid monitoring of development.

### **Technology assessment and development**

The development and use of new technology is closely related to ecological, social, economic and cultural contexts. It influences and is influenced by the social structure of the society, including the sexual division of labour. Priority should be given to the development of technologies that reduce the workload of women in household tasks (food production, fetching water and firewood and cooking) through the introduction of more efficient technology or by technology that shifts the responsibility away from women. Technologies that provide women with new or more efficient income-generating opportunities should also be supported.

### **Advocacy**

Advocacy at all levels is required to increase awareness, commitment and social mobilization. Close collaboration is required with both modern and traditional channels of communication. This fuels the triple A process at all levels. Advocacy should reflect normative goals, scientific assessment and analysis of the problem and recognize the existing positive processes in society.

### **Collaboration with other agencies**

In implementing this strategy, UNICEF will work closely with other agencies involved in nutrition, including WHO in health, the Food and Agriculture Organization of the United Nations in food, the United Nations Educational, Scientific and Cultural Organization in education, the World Food Programme in food aid, the International Fund for Agricultural Development in working for the

poor, the World Bank in a broad range of issues, and other bilateral agencies and non-governmental organizations at country, regional and headquarters levels.

### **Global support**

During the next two years, UNICEF proposes various global activities to promote the implementation of this nutrition strategy. These will include training resource people both within UNICEF and Governments, the preparation of training material that, after adaptation, can be used in collaboration with countries and the strengthening of nutrition information systems. Information for advocacy and programming will be generated on topics relevant to national strategy goals, together with studies on successful experiences.

## **UNICEF EXECUTIVE BOARD DECISION 1990/19**

---

On the recommendation of the Programme Committee,

*The Executive Board,*

1. *Endorses* the following nutritional goals for the year 2000:

- a) The control of protein-energy malnutrition, including the reduction of both moderate and severe protein-energy malnutrition in children under five years of age by one half of the 1990 levels and the reduction of the rate of low birth weight (less than 2.5 kilograms) to less than 10 per cent;
- b) The control of micronutrient deficiency disorders, including the reduction of iron-deficiency anaemia among women of child-bearing age by one third of the 1990 levels, the virtual elimination of iodine deficiency diseases and the virtual elimination of vitamin A deficiency and its consequences, including blindness.

2. *Further endorses:*

- a) The strategy proposed to achieve the overall objective of empowering families, communities and Governments to improve the nutrition of women and children on the basis of adequate information and sound analysis, with its two elements:
  - I) The method of assessment, analysis and action (the Atriple A approach<sup>≡</sup>), which describes how the information should be used;
  - ii) The conceptual framework for the analysis of the causes of malnutrition in a specific context, which serves as a guide for discerning what

information should be collected;

- b) The proposal that the strategies will be implemented at household/community, district and national levels;
- c) The proposal that the elements of the strategy in a given context will be identified through analysis and will include:
  - I) Actions that address the manifestations and immediate causes of malnutrition, such as the promotion of breast-feeding, nutrition rehabilitation, the provision of certain essential drugs, the promotion of oral rehydration therapy, direct feeding programmes and the distribution of micronutrients;
  - ii) Actions that address the underlying causes of malnutrition, such as immunization, the expansion and improvement of the primary health care delivery system, health and nutrition education and communication, family planning, household food security, improved feeding practices, maternal and child care, environmental sanitation and water supply, and literacy and education.
  - iii) Actions that address the basic causes of malnutrition, such as improved situation analysis, policy dialogue, technology assessment and development and advocacy.